

Références pour l'affiche de Clarys Maslard
Revégétaliser les marais : une course contre le retour du
***Phragmites australis* (le roseau commun)**

- Belzile, F., Labbé, J., LeBlanc, M.-C., & Lavoie, C. (2010). Seeds contribute strongly to the spread of the invasive genotype of the common reed (*Phragmites australis*). *Biological Invasions*, 12, 2243–2250. <https://doi.org/10.1007/s10530-009-9634-5>
- Bischoff, A., Steinger, T., & Müller-Schärer, H. (2018). The role of plant origin and diversity in grassland restoration: Lessons from 20 years of experience with seed transfer and hay transfer. *Applied Vegetation Science*, 21(2), 272–280. <https://doi.org/10.1111/avsc.12352>
- Bourgeois, B., Lavoie, C., & Poulin, M. (2017). Plant community structure and diversity following common reed (*Phragmites australis*) removal in freshwater wetlands. *Wetlands Ecology and Management*, 25(4), 399–416. <https://doi.org/10.1007/s11273-016-9520-7>
- Bourgeois, B., Poulin, M., & Lavoie, C. (2019). Resistance and resilience of wetland plant communities following invasive species control: A synthesis. *Ecological Restoration*, 37(1), 3–14. <https://doi.org/10.3368/er.37.1.3>
- Byun, C., Kettenring, K. M., & McCormick, M. K. (2018). Timing of seeding affects resistance to *Phragmites australis* invasion in created wetlands. *Wetlands Ecology and Management*, 26(5), 823–835. <https://doi.org/10.1007/s11273-018-9618-5>
- Byun, C., Kettenring, K. M., & Whigham, D. F. (2020). Functional diversity increases resistance to invasion in wetland plant communities. *Journal of Ecology*, 108(5), 1852–1864. <https://doi.org/10.1111/1365-2745.13411>
- Byun, C., Whigham, D. F., & Kettenring, K. M. (2023). Community assembly processes and long-term trajectories after invasive species removal in wetlands. *Frontiers in Ecology and Evolution*, 11, 112034. <https://doi.org/10.3389/fevo.2023.112034>
- Hazelton, E. L. G., Mozdzer, T. J., Burdick, D. M., Kettenring, K. M., & Whigham, D. F. (2014). *Phragmites australis* management in the United States: 40 years of methods and outcomes. *AoB Plants*, 6, plu001. <https://doi.org/10.1093/aobpla/plu001>
- Houde, M., & Kettenring, K. M. (2025). Effects of revegetation approaches on wetland plant community reassembly under hydrologic extremes. *Wetlands Ecology and Management*, 33(1). <https://doi.org/10.1007/s11273-024-10015-2>
- Kettenring, K. M., & Whigham, D. F. (2018). Managing invasive *Phragmites australis* in North America: Applying lessons from European experience. *Biological Invasions*, 20(8), 2459–2471. <https://doi.org/10.1007/s10530-018-1709-1>
- Kiehl, K., Kirmer, A., Donath, T. W., Rasran, L., & Hölzel, N. (2010). Species introduction in restoration projects—Evaluation of different techniques for the establishment of semi-natural grasslands in Central and Northwestern Europe. *Basic and Applied Ecology*, 11(4), 285–299. <https://doi.org/10.1016/j.baae.2009.12.004>
- Lavoie, C., Ayotte, G., & Groeneveld, E. (2019). 50 plantes envahissantes : protéger la nature et l'agriculture. Québec, QC. *Les Publications du Québec*.

Robinson, R., Beck, L., & Kettenring, K. M. (2024). The effects of native seed mix composition and sowing density on plant community reassembly in wetlands. *Ecosphere*, 15(5). <https://doi.org/10.1002/ecs2.4829>

Tarsa, E. E., Holdaway, B. M., & Kettenring, K. M. (2022). Tipping the balance: The role of seed density, abiotic filters, and priority effects in seed-based wetland restoration. *Ecological Applications : A Publication of the Ecological Society of America*, 32(8), e2706. <https://doi.org/10.1002/eap.2706>

Wagner, M., Kiehl, K., & Pfadenhauer, J. (2021). Long-term effects of hay transfer on vegetation development and species diversity in restored wetlands. *Ecological Engineering*, 169, 106323. <https://doi.org/10.1016/j.ecoleng.2021.106323>